


Wells Within about One Mile of Disposal Site

<b>6</b>	., "		1
USGS designation .	Owner		Use
9/30-22El	John Dictrick (disposal s	ite)1	Irrigation of cover crop
9/30-16/1	Charlie Cox		Irrigation of potato farm (first season of use)
9/30 16FI hut	US Bur. Reclamation		Observation well
9/30-16K1	Charlie Cox	V	Irrigation of potato farm (first season of use)
9/30-16111	Charlie Cox	1	Irrigation of potato farm (first season of use)
9/30-2111	Columbia Bast		Irrigation well-unused
9/30-28H1 ''	Devon Dall	120	Nomestic, stock-water and irrigation well
9/30-28н2	Howard Craven		Well never used - no development of land
9/30-28н3	Rada Construction		Well used only intermittent in making of septic tanks, dry wells, etc.
9/30-28J1	Welch Garage wrecking yar	rd	Little used
9/30-28.72	Spooner Fotel	, '	Commercial use for domestic and sanitary water
9/30-28J3	Cunningham 5.8		Domestic well
9/30-20KI	Rasmussen 3		Domestic well
9/30-28K2 and 3	Bonnie Brae Motel and Bungarner home		Commercial and domestic wells
9/30-27B1	Dave Whitehead		Stock water
9/30-2291	Alderson	6	Domestic well
9/30-2311	US Bur Reclaration		Observation well
9/30-26D1	US Bur Reclamation		Observation well
2/30-22J1	Tomlinson Dairy		commercial use in dairy
9/30-22K1	Tomlinson Dairy		not in use. Too low sapacity.
9/30-27Kl	Bonneville Power Administra		Sanitary and local
P & Latino		20	irrigation

USEPA SF 1426519





			HATER RIC	HTS OF	THE DEPARTM	ENT OF	ECOLOGY	RESION	3	PAGE	2667		RT DATE 1.		
ONTROL 8	SEC	OLD .	OLD .	OLD.	DRITE OF	\$5.0	CHTY	PERHIT	MANE		SOURCE	OF REP	ROPRIATION	TRIBUTARY	OF
TS P LOC.	OF PO	O/FON	(CHE CE)	PURPOS	of use	1011	USE.	INST	685	ANNUAL	CRS	IRR	C S PRO-	TIME OF	RR
MANACE MANACE												-			
CLINSHIP -	NO THE REAL PROPERTY.	NVENTO	- 30 E	33											
3-229917	02				02/04/974		F000		******	8007 0					
2NM.S	EN. HIS	L.A.MIR	SWA. HES.	IRRIG.	06/04/7/4		- C	2160.0.6.	TIPPETT	ROST. R.	MELLS	240.D.		0301.1101.	
13-23867P 1 SET S	45 MA			IRRIG	10/29/979		FRAN	2400.0 6	TIPPETT	ROBERT A	WELLS	240.0	HRUBS	03011101	
3-246777	D2	1		pon su	09/04/975		FRAN	460	TIPPETT	LD & HTGE	MELL				
13-20245PR		0			06/02/972	\$	FRAN	04/03/974	BURL NO	INC	WELLS				
2 SIA S	110	6		IRRIG			-	5778, 0 G		2594. 7		642.0	RIBHS	02011031	22
3-25179P 1\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	03 Nh	9		18816	01/13/977		FRAH		BULLING	TON NORTH	I WELL	160.0	2185	.01011231	
1 357 H	10	(3)		18816	11/08/975		FRAN	1900.0 6	LENTZ J	AMES E	HELL	160.0	RRUS	04011031	
83-20245P8	L 11	4			06/02/972	5	<b>CATCOLOGICA</b>	04/03/974 5778.0 G	BURL NO	INC	WELL				
119691	49		07843	LRRIG.	11/09/966	\$					WELLS	69.2	RIRHS	9201.1931	.22.
3=00389P 3 SM S	ETA	08389 644 SE4	NO.	BON SI	NGLE	•	- FRANK	1388.8 8	2 SULL IVA	548.0	MELLS	137.0	8185	IS	
17-27536C	12	5		TREES	08/07/275					AMES E	HELL				
		0		IRRIG	01/31/975							132. 5	R95	01011231	
1-20112		0		IRRIG			FRAN	1900. 6 6	MAJER P	HILLP C AR	HELL	142.0	RBS	01011231	
83-01177C	E4 32	10696		TERIS.	03/11/970		FRAM	668.6 6	COLUMBI	A ERST LTD	WEFT.	268.0	S HR	03011101	
12000004°	27	02266	09478		01/06/969		FRAN	the ho	SULLIVA	NRG.	HELL		-		
1 24		0		IRRIG	MULE		2	1600.0 6	1	582.0		160.0	KOREBS	02011130	
2 E2 M	N 1989	108978	103778	18816	05/20/970		FRAN	4000. 0 B	HAKAMOR	1427. 0	MELLS	400.0	ms	03011031	2 2
3-00472C	23	09288	08617	200 21	03/12/968		FRAN	200 0 -	SULLTVI	N ROBERT S	U WELL				
1 E2 M		(10)		STOCK	03/12/968 HGLE REMERAL		È	200.0	ļ	1.8		20.0		.04011031	
53-219329	24				07/21/973	•	FRAN	10/01/975	HSIEM J	ACK	WELLS			31071031	
2 SA S	12	, SE4	GI)	INNIG				3500. 0 6		2790.0		500.0	RHUT	03011130	-


	RECORDED	MATER RIC	ENTS OF T	HE DEPARTMENT	OF ECOLOGY	REGION	3	PAGE	2668	REPOR	T DATE 1	/16/79
CONTROL 8	SEC OLD	PERM	CERT	PRIORITY T C	A CRITY	PERMIT	HAME	OMMIGN (	SOURCE	OF REFE	C S BRO-	TRIBUTRRY OF
PTS P LOC.	OF POD/PON	(CHE CO)	PURPOSE	of use	TYPE	91	HUU	GR R	UU	K	H U VISOS	USE
MYER RESOUR	ECE INVENTO	- 20 E	33								***************************************	
3-23602 1 NES MA	× (3)		. POUL SUN	08/12/974 BLE	FRAN	200 É 8	NORMOOD.	JOSEPHINE	WELL			***************************************
1.412000	- (4)		IKKIB	05/07/975	FRAN	11	SULL I VON	P GUY	MELL	20.0		03011031
THE REP	I BA	18 PER 18	INTIS		-	1970.0 6		588.0		197. 0	RS	02011130
3221855 ····	21949		THE IS	10/93/962 8	FRAN	37.8	M.PRC.R	Eson o	SMAKE	3000.0		03010930 COL 8/MBITT
SET OF MAN	\$ 10k%	09976	18816	2711/9/0	(	785.0 6	COLUMNIA	845.0	MILL	283.0	OR .	03011101
F106272	- 26 10697		18815	MACABORINAL S	Stamm.	668 Q G	TANK MARKET I	638.0			OR .	03011101


90


9

RECORDED WATER RIGHTS OF THE REPORT DATE 1/16/79 HGE 2668 CONTROL S SEC OLD S RPPL SOURCE OF APPROPRIATION TRIBUTARY OF DATE OF TEN PTS P LOC. OF POD/PON (CHG CA) PURPOSE OF USE INST CRS TYPE MATER RESOURCE INVENTORY RREA- 33 DOM\_SINGLE\_\_\_\_\_\_ (15) NORHOOD, JOSEPHINE HELL 03011031 20. 0 IRRIG 05/07/975 63-24500P 24 1970.0 6 SULLIVAN R GUY **8**2011130 MRIG 10/03/969 COL R/HALLULA L 53221849 25 21844 ERRH 237 8 ( N. PRC. R. 8500. 0/ 03/11/970 03011101 668.0 6 2 675.0 668.0 6 2 84.0 03/11/270 03011101 283. 0 03/11/970 C 910.0 6 COLUMBIA ERST 12216 283. 0 03011101 1 SIN NEW 25 11913 FRAN / ALBERSON J R & R MELL C 1940.0 G 786.0 IRRIG 150.0 03011101 63-009-2CR. 26 12359 3 009-2 2 2559 HAM SIM 12359 3 009-2 63-007-2CB. 26 12359 009-2 12/31/971 FRAN / COLUMBIA ERST PART TWO WELLS 2500.0 500.0 FRAN / COLUMBIA ERST PART TWO WELLS 500.0 500.0 IRRIG 03011101 2 2 2 TREIS 03011101 2 2 2 DON HULT/PETV CHTRL RTMH RETMH IS 222 15.0 DON MUNIC SERVICE -1 SZ SIM SEN (26) MILL CECIL C ... MELL 63±02833C 35 02833 02740 DON GENERAL CONNTINUET HISC MELL 63-00673C 35 12071 100.0 03011001 63-22N95C 10.0 03011031

The state of the s	GHTS OF THE DEPARTMENT OF	ECOLOGY RE	EGION 3	PRGE 2669	REPORT D	RTE 1/16/79
ONTROL & SEC OLD OLD	OLD DATE OF S C P	CHTY PER	MIT HAME	SOURC	E OF APPROPE	INTION TRIBUTARY OF
TS P LOC. OF POD/POU (CHE CB)	PURPOSE OF USE	USE	INST CRS	GR NUU		PRO- TIME OF R I
ATER RESOURCE INVENTORY AREA-	33					
1-23914P R. 35 (2.8)	IRRIG 11/12/974 C	FRAN J	CURTIS	E ARDELL MELL 183, 95 1.0	35.0	£ 05011031
35 11857 08689	OS191 11/26/952 FIRE PROTECTION IRRIG	FRRH /	/ STANDAR	D DIL CO CA SHAKE	.75	S 04151001
1202344C 36 02344 02215 1 SIM SIM SE4	02124 02/18/952 DOM HULT/PRIN CHTRL	C 40	1. 0 G S COL B	SM IRR DIST HELI 64. 0		
1 L3 PLAT RIVER PARK HEIGHTS	01249 11/28/961 00M SINGLE 18818	MALL /	) BROWN 6	12.0 2 12.0 2	3.0	RE IS
RIVER PARK HETS ADD HAM	OS/21/962 R DOM SINGLE TREES		DE 2	ILLIAM R HELL	1.5	IS
-22 GH sex Ma	BOH STREET	E 30	/ CARLSON	7. 38	2.0	RS 01011231
-25013F LT-9 BK-1 CARLSON PLAT 01	DOM HULT/PRIV CNTRL	MALL 12/0 C 190 C 190	7/977 CARLSON	HALTER E HELL 10.0 31.0	6.68	RS 01011231
MARSHIP - 09 RANGE - 31 E	66/01/970 C	FRAN /	/ WITHERS	POON H E LIEL	4	
8109287 06 10926 10226 814 81089298 07 108978 103778	05/20/970	C BOO	O G HAKAMUR	641.0 W HISBSHI WELL	132.0	0/R8 03010831
MEN MAN 807696C 13 07696 07199	18816 05905 07/15/965 18816	FERN /	1.0 6 HOBERS	1927. 0 J H ET RL HEL	400. 0 225. 0	MS 03011031 2
284 254 284	1817			700.0	225.0	RE IS







GEOLOGIC CROSS SECTIONS A-A'AND B-B', PASCO DISPOSAL SITE (See map for locations)

Randall E Brown
Registered Geologist
California Certificate 525

## Table 3 .-- Drillers' logs of wells-Con.

9/30-14.01. Bureau of Reclamation. Eaquatzel Obs. Well. About 167 ft S. and 29 ft E. of NW corner. Altitude 496.5 ft. Drilled by Nelson Drilling Co., 1954.

Thickness Depth Materials (feet) (feet) Silt, sandy, micaceous, 10 10 Gravel, sandy, gray, Gravel fine, basaltic, rounded, Sand, fine basaltie . . 30 Gravel, fine, granulatei, rounded, basaltic . . . 40 Sand, fine, granitic and basaltic, gray . . . . 50 Gravel, sandy, gray. Gravel, fine, basaltic, subrounded, Sand, fine, basaltic, 10 60 Sand, silty, dirty, dark gray. Sand, silty. Sand, coarse, 70 basaltic, subrounded, granular, gray. . . . . . . 10 Sand, fine, basaltic, gray 10 80 90 Gravel, Bilty. Gravel, coarse, poorly graded, basaltic, subrounded. . Gravel, silty. Gravel, medium, subrounded, well graded, basaltic. . . 120 Gravel, sandy, Gravel, fine, basaltic subrounded. Sand, fine, dark gray, calcareous, granitic and basaltic . 10 130 Sand, gravelly. Sand, fine, calcareous, granitic and basaltic, dark gray. . . 160 Gravel, sandy. Gravel, coarse, well graded, rounded, granitic and basaltic. Sand, medium, subrounded, 164 Gravel, sandy. Gravel, medium, rounded, granitic ard basaltic. Sand, medium, angular, grav. . . . . 36 180 Casing: 3-inch, personated 140-100 ft.

9/30-16F1. Bureau of Reclamation. Laquatzel Ors. Well. About at center of section. Altitude A05.8 ft. Drilled by Nelson Drilling Co., 1954.

Materials	Thi (	ckne.	BB Depth
Sand, silty, fine to m			1
ium, rounded, calcare	cu-		.)
gray	ous,	50.	50
Sand, coarse, basaltic	•	50.	30
gray	<b>'</b> .	12	62
Gravel, sandy. Gravel	. me	1-	0~
ium, angular, graniti	c an	d	
basaltic, brown. Sand	. med	d-	
ium, altered, brown .		14	76
Gravel and gand, Grave	1.		
ccarse, granitic and	basa.	1-	
tic, subrounded; Sand	,		
coarse, angular		2	78
Sand, gravelly. Sand,	n.ed-		4
ium, gray; limonitic			1
weathering	٠.	3	81
Gravel and sand. Grave	el,		
coarse, subrounded, gr	ran	32.	
itic and basaltic, por graded. Sand, medium,	crly		
angular	. ,	10	100
Gravel, sandy. Gravel	• "	19	100
fine subrounded, gran	1+10		
and basaltic, well gre	ded.		
Sand, medium, angular.	idod.	10	110
Clay, gravelly. Clay,		10	210
calcareous, with comer	ated		
pieces of fire gravel,			
grayish green		5	115
Sand, medium, calcareou	15.		
grayish white; chiefly	7		
rounded quartz grains,			
nome limonitic stainir	IF,	13	128
Clay, greenish gray		6	

unnyside - Bur of Rection-Surregion Prieglin Dist. File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

## VATER WELL RE

Application No.

STATE OF WASHINGTON Permit No. (1) OWNER: Name. BOX Address. LOCATION OF WELL: County... g and distance from section or subdivision corner Domestic Industrial | Municipal | (3) PROPOSED USE: (10) WELL LOG: Irrigation [ Test Well [ Other Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. Owner's number of well (4) TYPE OF WORK: (if more than one) MATERIAL. New well P Method: Dug 50 NX Deepened Cable [ П Driven [ Reconditioned [ Rotary 2 Jetted [ Diameter of well ... Drilled / O'/ ft. Depth of completed well / O'/ ft. (6) CONSTRUCTION DETAILS: Casing installed: "Diam. from " Diam. from .. " Diam. from .. Welded Perforations: Yes | No 2 Type of perforator used ... SIZE of perforations ..... in hy ..... perforations from ..... ..... ft. to ... ..... perforations from ..... .. ft. to .... .. perforations from ...... ft. to ..... Screens: Yes | No 2 Manufacturer's Name. Туре... Diam. ..... Slot size ... .... from ..... ft. to ... Diam. Slot size ..... from ..... ft, to .... Gravel packed: Yes Size of gravel: . Gravel placed from ... ..... ft. to ..... Surface seal: Yes No [ ace seal: Yes No D To what depth?

Material used in seal Did any strata contain unusable water? No E Type of water? GOED ..... Depth of strata... Method of sealing strata off. (7) PUMP: Manufacturer's Name. HP Land-surface elevation (8) WATER LEVELS: above mean sea level. .ft. below top of well Date ... Artesian pressure ..... .....lbs. per square inch Date .... Artesian water is controlled by ..... (Cap. valve. etc.) Drawdown is amount water level is lowered below static level (9) WELL TESTS: Work started 3-19 1981 Completed 3 Was a pump test made? Yes 
No If yes, by whom?.... WELL DRILLER'S STATEMENT: gal./min. with ft. drawdown after hrs This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) WATER Time Water Level | Time Water Level | Water Level (Person, firm, or corporation) gal./min. with.....ft. drawdown after... .....g.p.m. Date...... Temperature of water...... Was a chemical analysis made? Yes ☐ No ☐ License No. Date

-			Ì.	
	-		Sy and	

Application No.

STATE OF	WASHINGTON Permit No.	• • • • • • • • • • • • • • • • • • • •	
(1) OWNER: Name DAN WORKER	Address 3320 5. GARTIELO K	ENNE	Wici
	1100 000	-	
(2) LOCATION OF WELL: County BENTON	- ¼ X Sec 7 T	7 N., R.	W.W
Bearing and distance from section or subdivision corner			
PROPOSED USE: Domestic   Industrial   Municipal	(10) WELL LOG:		
	The second secon		4
Irrigation Test Well Other	Formation: Describe by color, character, size of materi show thickness of aquijers and the kind and nature of stratum penetral		
(4) TYPE OF WORK: Owner's number of well	stratum penetrated, with at least one entry for each	change of f	ormation
(If more than one)	MATERIAL	FROM	TO
New well Method: Dug Bored Deepened Cable Driven D	-JOIL	1 3	=>
		-	2
Reconditioned Rotary Jetted	BLACK SHNO	1//	40
(5) DIMENSIONS: Diameter of well inches.	BLACK SAND SILTY LAYER	15-54	14
Drilled 79/2ft. Depth of completed well 99/2 ft.	COMPACT TOOR	6	80
Deput of completed well	F.GR. J. SOME HEAVE		High
(6) CONSTRUCTION DETAILS:	KINGOLD		-
Casing installed: " Diam. from ft. to ## 2 ft.			
Threaded ft. to ft.		-	
Welded Diam. from ft. to ft.			
Parforations	1.4.6.3.6.3.6.		
Perforations: Yes   No			-
Type of perforator used		1 . 4	
SIZE of perforations in. by in.			4.1.
perforations from ft. to ft.			
perforations from		-	-
perforations from		-	
Screens: Yes P No D			
Manufacturer's Name 101/NSON			
Type Model No 304			
Diam. Slot size 35 from 35 ft. to 99 3t.	A Third A Thirth and A Thirth	-	
Diam. Slot size from ft. to ft.			-
10.10	44,754,144	1	-
Cravel packed: Yes   No   Size of gravel:	The second state of the se		7-
Gravel placed fromft. toft.		-	
		1	
Surface seal: Yes No D To what depth?ft.			
Material used in seal BENTONITE			
Did any strata contain unusable water? Yes 🗌 No 🖂			
Type of water? Depth of strata			
Method of sealing strata off			
(7) DIIMD. BEQUELES			
(7) PUMP: Manufacturer's Name. DERILETEY			
Туре: НР			
(8) WATER LEVELS: Land-surface elevation			
above mean sea level ft.		5	
Static levelft. below top of well Date 1/22/75			
Artesian pressurelbs. per square inch Date	I the second second		-
Artesian water is controlled by (Cap, valve, etc.)	The second secon		
distriction of the second seco		To a !	
(9) WELL TESTS: Drawdown is amount water level is lowered below static level	Ann	A	
Was a pump test made? Yes ☑ No ☐ If yes, by whom?	Work started	122	, 19.7
Yield: 35 gal./min. with / ft. drawdown after 2 hrs.	WELL DRILLER'S STATEMENT:		
11 11 11 11 11 11 11 11 11 11 11 11 11		4 15 1	
A CONTRACTOR AND A CONTRACTOR OF THE CONTRACTOR OF THE AND A CONTRACTOR OF THE CONTR	This well was drilled under my jurisdiction a	and this re	eport is
	true to the best of my knowledge and belief.	Carlotte .	
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)			
Time Water Level   Time Water Level   Time Water Level	NAME TISCARE DELLING	60	
The state of the s	(Person, firm, or corporation) (1	Type or prin	nt)
Party Party But But and the second state of the second	NAME PROPERTY FIRE	18/10/10	here
	Address / / / / / / / / / / / / / / / / / /	14/-10	The Parent
			17
Date of test	[Signed]	A STATE OF THE STA	
gal/min. withft. drawdown afterhrs.	(Well Driller)	T	Beat la
cressan flow g.p.m. Date	Aller	3-1	and a
Temperature of water Was a chemical analysis made? Yes □ No □	License No. Date Date	- A- L.,	19
100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			-
THE REPORT OF THE PROPERTY OF	The same of the sa	Control of the Contro	

Permit No 63202497

1)	OWNER: Name	Address		
	LOCATION OF WELL: County TRANKLIN	Can + 4 NW 4 sec 15 T9	J N 11.	ME WW
	ig and distance from section or subdivision corner			×
3)	PROPOSED USE: Domestic   Industrial   Municipal	(10) WELL LOG:		
	Irrigation Test Well Other	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each ch	and stru ie materi ange of	cture, and ial in each formation,
4)	TYPE OF WORK: Owner's number of well 34 New well M Method: Dug Bored	MATERIAL	FROM	то
	Deepened Cable Driven	Black SAND	0_	15-71
5)	DIMENSIONS: Diameter of well	Black SANd & Bosalf Grave	1.5	32 Fr
	Drilled 143 ft. Depth of completed well 143 ft.	Basalt Gravel	32	451
6)	CONSTRUCTION DETAILS:			
	Casing installed: 16 " Diam. from D ft. to	BROKEN BESALT	4.5	60 ft.
	Threaded [] "Diam. from ft. to ft.  Welded [] "Diam. from ft. to ft.	Basalt Greate   & Black SAND	60	6211
	Perforations: Yes No D No D No Size of perforations 38 in. by 3 in.	Broken BASAIT	62	12 ft
	SIZE of perforations 3/8 in. by 3' in.  perforations from // ft. to /3.7 ft.  perforations from ft. to ft.	Clay & Basalt G. RAVE	22	79 ft
	perforations from ft, to ft,	Clay	79	10014
	Screens: Yes   No 🔯 Manufacturer's Name	Clay & SAND	100	104ft
	Type         Model No           Diam.         Slot size         from         ft. to         ft.           Diam.         Slot size         from         ft. to         ft.	Clay & BASALT GRAVEL	104	106 ft
_	Gravel packed: Yes   No   Size of gravel:	Clay, SAND & CRADE!	106	112pt
	Gravel placed from ft. to ft.	GRAVALISAND + WATER Q. 1	12	1156
	Surface seal: Yes M No D To what depth? 20 ft.  Material used in seal. 2 dd. 4 C 1 H Y  Did any strata contain unusable water? Yes No D	SHIP & GRavel	115	118 ft
	Did any strata contain unusable wafer? Yes No Type of water?	Black SAND & GRAVEL 137	118	140ft
7)	PUMP: Manufacturer's Name	BASALT RECEIVE	1260	14341
3)	WATER LEVELS: Land-surface elevation. 2/77	A M		
atic	above mean sea level	1132 1 AP) 4 SEP 17 1976		
	Artesian water is controlled by (Cap, valve, etc.)	A A A A A A PEPARTMENT OF EGO	LOGY	
))	WELL TESTS: Drawdown is amount water level is lowered below static level	SPOKANE REGIONAL OF	FICE	
•	pump test made? Yes No If yes, by whom?	Work started, 19 Completed		, 19
eld:	1110	WELL DRILLER'S STATEMENT:		
-	" " "	This well was drilled under my jurisdiction an true to the best of my knowledge and belief.	d this r	report is
cov	ery data (time taken as zero when pump turned off) (water level	C+ A		)
Tim	easured from well top to water level)  e Water Level   Time Water Level   Time Water Level	NAME (Person, firm, or Gorporation) (Ty	) & (	o ·
		Address 101, So. Hath Ave	) . 	
	ite of testttestft, drawdown afterhrs.	[Signed] (Well Driller)		2
tesi	nn flow	* 1172 7 -	17	7.6
	erature of water Was a chemical analysis made Yes   No	License No. D 48 2 Date 3	C	, 19./?
F. S	6.7336—OS—(Rev. 5-69)—5-69.	SETS IF NECESSARY)		<b>2</b> 3

## #36 WATER WELL REPORT

STATE OF WASHINGTON

Application No. ..... Permit No. 63 20249

	- CIIIII . 10	
(1) OWNER: Name Burlington Northern	Address	
(2) LOCATION OF WELL: County Franklin		-30
ing and distance from section or subdivision corner	N, Sec T N.,	RW.M
PROPOSED USE: Domestic   Industrial   Municipal	(10) WELL LOG:	The speciment and a second
PROPOSED USE: Domestic   Industrial   Municipal   Irrigation   Test Well   Other		4
	Formation: Describe by color, character, size of material and s show thickness of aquifers and the kind and nature of the ma stratum penetrated, with at least one entry for each change	terial in each
(4) TYPE OF WORK: Owner's number of well (if more than one)	MATERIAL FRO	
New well Method: Dug ☐ Bored ☐  Deepened ☐ Cable ☑ Driven ☐		
Reconditioned	SAND TAN O	13
(5) DIMENSIONS: Diameter of well /Co traches		
Drilled 57 ft. Depth of completed well 57 ft.	SAND Black 13	21
(a) CONOMPNICATION PROMISE	SAND Black SILTY 21	777
(6) CONSTRUCTION DETAILS:	STAN BIACK STITY	131
Casing installed: 16 "Diam from 1 ft. to 127 ft.	SAND Black (Fravel 2 minus 32	12
Threaded ☐ "Diam. from ft. toft.  Welded ☑ "Diam. from ft. toft.		160
200	SUT 7AN 68	97
Perforations: Yes No No	C. 1 01 6 - 65:	-
SIZE of perforations in. by in.	Sand Black sitty 97	1115
perforations from ft. to ft.	Sand Black Gravel Silty 115	117
perforations fromft. toftftft.	Direct Direct (31114)	- 11
	Sand Grey Water Bearin 11	1124
Screens: Yes'S No Tohkon		
Type Model No	Gravel Black sund 126	1142
Diam. 16 Telestot size 625 from 127 ft. to 157 ft.	Gravel Ringold Formation 142	10-7
Diam. Slot size from ft. to ft.	Drace Tringstated martin 192	-115-6
Gravel packed: Yes No X Size of gravel:	. 1/	
Gravel placed fromft. toft.	10	
Surface seal: Yes No No To what depth? 3/	611	
Material used in seal BEATOALTE	10/1/	-
Did any strata contain unusable water? Yes To Type of water? Depth of strata	1 HO DECENTED	-
Method of sealing strata off	THE REVERVE	
(7) PUMP: Manufacturer's Name	1117	
Туре:	SEP 17 1976	
(8) WATER LEVELS: Land-surface elevation 470		
above mean sea level	DEPARTMENT OF ECOLOGY	-
Artesian pressurelbs. per square inch Date	SPOKANE PEOTONAL DEFICE	
Artesian water is controlled by(Cap, valve, etc.)		
(9) WELL TESTS: Drawdown is amount water level is		
Was a pump test made? Yes No I if yes, by whom?	Work started 6-28 1926 Completed 7-17	1976
Yield: gal./min. with ft. drawdown after hrs.	WELL DRILLER'S STATEMENT:	ÿ
" 1700 " 15 " 4 "	This well was drilled under my jurisdiction and thi	s report is
37 3F 31 2F	true to the best of my knowledge and belief.	i report is
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)	Alalean Wall Drilling	
Time Water Level Time Water Level Time Water Level	(Person, firm, or corporation) (Type or	print)
	10026 111 Amount	
	Address 10038 W. (Fgen)	***************************************
ite of test	[Signed] Lames Y/elson	
bauer testgal/min. with	(Well Driller)	
Artesian flow	License No. 0361 Date 7-29	107/

JRB Project # 756 \*\*

\_ JRB Associates \_

## CONTACT REPORT

Report By: Bart morson Date: 4/5/84 Time: AM
Made Call Received Call Meeting
Contact: Office of Finincial Mant ()
(1980 Fed. Census Data)
Discussion: Population for 1980 Census Dala
Whin the mile - max. 1899
Whin four mile - 7/6,000
_
Distribution:
Resource Recovery Big Pasco